Welcome to STN International! Enter x:X

LOGINID:ssptacrs1614

```
PASSWORD:
```

| TERMIN | | (ENT | ER 1, | , 2, 3, OR ?):2 |
|--------|------|------|-------|--|
| * * * | * * | * * | * * | * Welcome to STN International * * * * * * * * * |
| NEWS | 1 | | | Web Page for STN Seminar Schedule - N. America |
| NEWS | 2 | AUG | 0.6 | CAS REGISTRY enhanced with new experimental property tags |
| NEWS | | AUG | | FSTA enhanced with new thesaurus edition |
| NEWS | 4 | AUG | 13 | CA/CAplus enhanced with additional kind codes for granted |
| | | | | patents |
| NEWS | 5 | AUG | 20 | CA/CAplus enhanced with CAS indexing in pre-1907 records |
| NEWS | 6 | AUG | 27 | Full-text patent databases enhanced with predefined |
| | | | | patent family display formats from INPADOCDB |
| NEWS | 7 | AUG | 27 | USPATOLD now available on STN |
| NEWS | 8 | AUG | | CAS REGISTRY enhanced with additional experimental |
| | | | | spectral property data |
| NEWS | 9 | SEP | 0.7 | STN AnaVist, Version 2.0, now available with Derwent |
| | | | | World Patents Index |
| NEWS | 10 | SEP | 13 | FORIS renamed to SOFIS |
| NEWS | | SEP | | INPADOCDB enhanced with monthly SDI frequency |
| NEWS | | SEP | | CA/CAplus enhanced with printed CA page images from |
| | | | | 1967-1998 |
| NEWS | 13 | SEP | 17 | CAplus coverage extended to include traditional medicine |
| | | | | patents |
| NEWS | 14 | SEP | 24 | EMBASE, EMBAL, and LEMBASE reloaded with enhancements |
| NEWS | 15 | OCT | 02 | CA/CAplus enhanced with pre-1907 records from Chemisches |
| | | | | Zentralblatt |
| NEWS | 16 | OCT | 19 | BEILSTEIN updated with new compounds |
| NEWS | 17 | NOV | 15 | Derwent Indian patent publication number format enhanced |
| NEWS | 18 | NOV | 19 | WPIX enhanced with XML display format |
| NEWS | 19 | NOV | 30 | ICSD reloaded with enhancements |
| NEWS | | DEC | 04 | LINPADOCDB now available on STN |
| NEWS | 21 | DEC | 14 | BEILSTEIN pricing structure to change |
| NEWS | 22 | DEC | 17 | USPATOLD added to additional database clusters |
| NEWS | 23 | DEC | 17 | IMSDRUGCONF removed from database clusters and STN |
| NEWS | 24 | DEC | 17 | DGENE now includes more than 10 million sequences |
| NEWS | 25 | DEC | 17 | TOXCENTER enhanced with 2008 MeSH vocabulary in |
| | | | | MEDLINE segment |
| NEWS | 26 | DEC | 17 | MEDLINE and LMEDLINE updated with 2008 MeSH vocabulary |
| NEWS | 27 | DEC | 17 | CA/CAplus enhanced with new custom IPC display formats |
| NEWS | 28 | DEC | 17 | STN Viewer enhanced with full-text patent content |
| | | | | from USPATOLD |
| NEWS | 29 | JAN | 02 | STN pricing information for 2008 now available |
| NEWS | EXPF | RESS | CUI | SEPTEMBER 2007: CURRENT WINDOWS VERSION IS V8.2, RRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), D CURRENT DISCOVER FILE IS DATED 19 SEPTEMBER 2007. |
| NEWS | HOLL | o C | Cm | N Operating Hours Plus Help Dock Availability |
| NEWS | | | | N Operating Hours Plus Help Desk Availability lcome Banner and News Items |
| NEWS | | | | |
| MEMP | TECS | > | r 01 | r general information regarding STN implementation of IPC 8 |

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 14:02:51 ON 10 JAN 2008

=> file registry COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION 0.21 0.21

FULL ESTIMATED COST

FILE 'REGISTRY' ENTERED AT 14:03:02 ON 10 JAN 2008 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 8 JAN 2008 HIGHEST RN 960198-43-0
DICTIONARY FILE UPDATES: 8 JAN 2008 HIGHEST RN 960198-43-0

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH June 29, 2007

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

http://www.cas.org/support/stngen/stndoc/properties.html

=>

Uploading C:\Program Files\STNEXP\Queries\10565453.str

```
7 8 22 23 24 25 26 27 28 29 30 31 32 33
ring nodes :
1 2 3 4 5 6 9 10 11 12 13 14 15 16 17 18 19 20 21
chain bonds :
2-7 6-8 14-16 19-22 22-23 22-33 23-24 24-25 24-27 25-26 25-31 27-28
28-29 29-30 29-32
ring bonds :
1-2 1-6 2-3 3-4 4-5 4-9 5-6 5-12 9-10 10-11 11-12 11-13 12-15 13-14
14-15 16-17 16-21 17-18 18-19 19-20 20-21
exact/norm bonds :
1-2 \quad 1-6 \quad 2-3 \quad 2-7 \quad 3-4 \quad 4-5 \quad 4-9 \quad 5-6 \quad 5-12 \quad 6-8 \quad 9-10 \quad 10-11 \quad 11-12 \quad 11-13 \quad 12-15
13-14 14-15 14-16 22-23 22-33 23-24 29-30 29-32
exact bonds :
19-22 24-25 24-27 27-28 28-29
normalized bonds :
16-17 16-21 17-18 18-19 19-20 20-21 25-26 25-31
```

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:CLASS 8:CLASS 9:Atom 10:Atom 11:Atom 12:Atom 13:Atom 14:Atom 15:Atom 16:Atom 17:Atom 18:Atom 19:Atom 20:Atom 2:Atom 2:A

STRUCTURE UPLOADED

chain nodes :

Match level :

L1

=> d 11 L1 HAS NO ANSWERS L1 STR

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

Structure attributes must be viewed using STN Express query preparation.

=> s 11 fam ful FULL SEARCH INITIATED 14:03:26 FILE 'REGISTRY' FULL SCREEN SEARCH COMPLETED - 178 TO ITERATE

28:CLASS 29:CLASS 30:CLASS 31:CLASS 32:CLASS 33:CLASS

100.0% PROCESSED 178 ITERATIONS SEARCH TIME: 00.00.01

L2 101 SEA FAM FUL L1

=> d scan 12

L2 101 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN

IN L-Glutamic acid, N-[4-(3-amino-1,2,5,6,6a,7-hexahydro-1-oxoimidazo[1,5-f]pteridin-8(9H)-yl)benzoyl]-, sodium salt, (R)-, compd. with α -cyclodextrin and β -cyclodextrin (1:1:1) (9CI)

101 ANSWERS

MF C42 H70 O35 . C36 H60 O30 . C20 H23 N7 O6 . x Na

CM

Absolute stereochemistry.

●x Na

CM 2

Absolute stereochemistry.

Absolute stereochemistry.

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):end

=> file caplus
COST IN U.S. DOLLARS
SINCE FILE TOTAL
FULL ESTIMATED COST
TO. 70.57
70.78

FILE 'CAPLUS' ENTERED AT 14:04:08 ON 10 JAN 2008 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing

of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 10 Jan 2008 VOL 148 ISS 2 FILE LAST UPDATED: 8 Jan 2008 (20080108/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

http://www.cas.org/infopolicv.html

=> s 12 L3 662 L2

=> s 12 and citrate 662 L2 92178 CITRATE 2707 CITRATES

93309 CITRATE
(CITRATE OR CITRATES)
L4 6 L2 AND CITRATE

=> d 14 ibib abs

L4 ANSWER 1 OF 6 CAPLUS COPYRIGHT 2008 ACS on STN ACCESSION NUMBER: 2007:619730 CAPLUS

DOCUMENT NUMBER: 2007:6197.

DOCUMENT NUMBER: 147:39177

TITLE: Stable pharmaceutical compositions of 5,10

methylenetetrahydrofolate
INVENTOR(S): Chen, Andrew X.; Wu, Hongjie; Cantwell, Mark J.;

Robbins, Joan M.

PATENT ASSIGNEE(S): Adventrx Pharmaceuticals, Inc., USA

SOURCE: PCT Int. Appl., 17pp.
CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

| PATE | ENT 1 | 10. | | | KIND DATE | | | | | APPL | DATE | | | | | | | |
|------|-------|---------|-----|-----|-----------|-----|------|------|-----|------|------|-----|----------|-----|-----|-----|-----|--|
| | | | | | | _ | | | | | | | | | | | | |
| WO 2 | 20070 | 7064968 | | | A2 | | 2007 | 0607 | | WO 2 | 006- | | 20061130 | | | | | |
| | ₩: | ΑE, | AG, | AL, | AM, | AT, | AU, | AZ, | BA, | BB, | BG, | BR, | BW, | BY, | BZ, | CA, | CH, | |
| | | CN, | CO, | CR, | CU, | CZ, | DE, | DK, | DM, | DZ, | EC, | EE, | EG, | ES, | FI, | GB, | GD, | |
| | | GE, | GH, | GM, | GT, | HN, | HR, | HU, | ID, | IL, | IN, | IS, | JP, | KE, | KG, | KM, | KN, | |
| | | KP, | KR, | KZ, | LA, | LC, | LK, | LR, | LS, | LT, | LU, | LV, | LY, | MA, | MD, | MG, | MK, | |
| | | MN, | MW, | MX, | MY, | MZ, | NA, | NG, | NI, | NO, | NZ, | OM, | PG, | PH, | PL, | PT, | RO, | |
| | | RS, | RU, | SC, | SD, | SE, | SG, | SK, | SL, | SM, | SV, | SY, | TJ, | TM, | TN, | TR, | TT, | |
| | | TZ, | UA, | UG, | US, | UZ, | VC, | VN, | ZA, | ZM, | ZW | | | | | | | |
| | RW: | AT, | BE, | BG, | CH, | CY, | CZ, | DE, | DK, | EE, | ES, | FI, | FR, | GB, | GR, | HU, | IE, | |
| | | IS, | IT, | LT, | LU, | LV, | MC, | NL, | PL, | PT, | RO, | SE, | SI, | SK, | TR, | BF, | ВJ, | |
| | | CF, | CG, | CI, | CM, | GA, | GN, | GQ, | GW, | ML, | MR, | ΝE, | SN, | TD, | TG, | BW, | GH, | |
| | | GM, | KE, | LS, | MW, | MZ, | NA, | SD, | SL, | SZ, | TZ, | UG, | ZM, | ZW, | AM, | AZ, | BY, | |
| | | KG, | KZ, | MD, | RU, | TJ, | TM | | | | | | | | | | | |

PRIORITY APPLN. INFO.: US 2005-741861P P 20051202

AB The invention provides a stable lyophilized composition of 5,10

methylenetetrahydrofolate (5,10-MTHF) suitable for use in the treatment of cancer and other therapies. The composition comprises 5,10-MTHF in combination with citric acid and ascorbic acid, with the ratio of citric acid to ascorbic acid to ascorbic acid, with the ratio of citric acid to ascorbic acid to ascorbic acid to 5,10-MTHF from about 1.4:1 to about total citric acid and ascorbic acid to 5,10-MTHF from about 1.4:1 to about 3.4:1 by weight Prior to lyophilization, the solution is adjusted to an

essentially neutral pH. Thus, composition was prepared containing 5,10 methylenetetrahydrofolate 100 mg, trisodium citrate 250 mg and ascorbic acid 176 mg.

=> d 14 ibib abs 1-6

L4 ANSWER 1 OF 6 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2007:619730 CAPLUS

DOCUMENT NUMBER: 147:39177

TITLE: Stable pharmaceutical compositions of 5,10

methylenetetrahydrofolate

INVENTOR(S): Chen, Andrew X.; Wu, Hongjie; Cantwell, Mark J.;

Robbins, Joan M.

PATENT ASSIGNEE(S): Adventrx Pharmaceuticals, Inc., USA

SOURCE: PCT Int. Appl., 17pp.
CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: : PATENT INFORMATION:

| PATENT NO. | | | | | KIND DATE | | | | | APPL | ICAT | DATE | | | | | | |
|---------------|-----|-----|-----|-----|-----------|-----|----------|-----|-----|------|------|------|-----|----------|-----|-----|-----|--|
| WO 2007064968 | | | | | A2 | | 20070607 | | | WO 2 | 006- | US46 | 142 | 20061130 | | | | |
| | W: | ΑE, | AG, | AL, | AM, | AT, | AU, | AZ, | BA, | BB, | BG, | BR, | BW, | BY, | BZ, | CA, | CH, | |
| | | CN, | CO, | CR, | CU, | CZ, | DE, | DK, | DM, | DZ, | EC, | EE, | EG, | ES, | FI, | GB, | GD, | |
| | | GE, | GH, | GM, | GT, | HN, | HR, | HU, | ID, | IL, | IN, | IS, | JP, | KE, | KG, | KM, | KN, | |
| | | KP, | KR, | KZ, | LA, | LC, | LK, | LR, | LS, | LT, | LU, | LV, | LY, | MA, | MD, | MG, | MK, | |
| | | MN, | MW, | MX, | MY, | MZ, | NA, | NG, | NI, | NO, | NZ, | OM, | PG, | PH, | PL, | PT, | RO, | |
| | | RS, | RU, | SC, | SD, | SE, | SG, | SK, | SL, | SM, | SV, | SY, | TJ, | TM, | TN, | TR, | TT, | |
| | | TZ, | UA, | UG, | US, | UZ, | VC, | VN, | ZA, | ZM, | zw | | | | | | | |
| | RW: | AT, | BE, | BG, | CH, | CY, | CZ, | DE, | DK, | EE, | ES, | FI, | FR, | GB, | GR, | HU, | IE, | |
| | | IS, | IT, | LT, | LU, | LV, | MC, | NL, | PL, | PT, | RO, | SE, | SI, | SK, | TR, | BF, | ВJ, | |
| | | CF, | CG, | CI, | CM, | GA, | GN, | GQ, | GW, | ML, | MR, | NE, | SN, | TD, | TG, | BW, | GH, | |
| | | GM, | KE, | LS, | MW, | MZ, | NA, | SD, | SL, | SZ, | TZ, | UG, | ZM, | ZW, | AM, | AZ, | BY, | |

KG, KZ, MD, RU, TJ, TM
PRIORITY APPLN. INFO:: US 2005-741861P P 20051202

The invention provides a stable lyophilized composition of 5,10 methylenetetrahydrofolate (5,10-MTHF) suitable for use in the treatment of cancer and other therapies. The composition comprises 5,10-MTHF in combination with citric acid and ascorbic acid, with the ratio of citric acid to ascorbic acid from about 0.75:1 to about 2.25:1 by weight, and the ratio of total citric acid and ascorbic acid to 5,10-MTHF from about 1.4:1 to about 3.4:1 by weight Prior to lyophilization, the solution is adjusted to an essentially neutral pH. Thus, composition was prepared containing 5,10 methylenetetrahydrofolate 100 mg, trisodium citrate 250 mg and ascorbic acid 176 mg.

L4 ANSWER 2 OF 6 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2007:197715 CAPLUS

DOCUMENT NUMBER: 146:247362

TITLE: Microorganisms with modified primary metabolism increasing the efficiency of biosynthesis of

L-methionine

INVENTOR(S): Zelder, Oskar; Herold, Andrea; Klopprogge, Corinna; Schroeder, Hartwig; Haefner, Stefan; Heinzle, Elmar; Wittmann, Christoph; Kroemer, Jens; Pero, Janice; Yocum, Rogers; Patterson, Thomas; Williams, Mark;

Herman, Theron

PATENT ASSIGNEE(S): BASF A.-G., Germany SOURCE: PCT Int. Appl., 327pp. CODEN: PIXXD2 Patent

English

DOCUMENT TYPE: LANGUAGE:

FAMILY ACC. NUM. COUNT: 1 PATENT INFORMATION:

KIND DATE APPLICATION NO. DATE PATENT NO. ----WO 2007020295 A2 20070222 WO 2006-EP65460 A3 20070503 20060818 WO 2007020295 W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AP, EA, EP, OA EP 2005-107609 A 20050818 EP 2006-114543 A 20060524 PRIORITY APPLN. INFO.:

Methods of increasing the efficiency of biosynthesis of L-methionine, i.e. yield as a function of input energy, by modifying primary metabolism to increase carbon flux through the methionine pathway are described. Data on metabolic fluxes from Escherichia coli and Corynebacterium glutamicum were used to model metabolic fluxes. Effects of changes in genotype and carbon and sulfur sources were analyzed.

ANSWER 3 OF 6 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: DOCUMENT NUMBER:

TITLE: INVENTOR(S):

2004:1154586 CAPLUS 142:79933

Stable 5,10-methylene-tetrahydrofolate compounds with citric acid and their lyophilization to prepare drug

formulations Moser, Rudolf; Ammann, Thomas

PATENT ASSIGNEE(S): Merck Eprova AG, Switz. SOURCE: PCT Int. Appl., 16 pp.

CODEN: PIXXD2 DOCUMENT TYPE: Patent

LANGUAGE: German FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

| PATENT NO. | | | | | KIND | | DATE | | | ICAT | DATE | | | | | | | |
|---------------|---------------|-----|-----|-----|------|------|------|------|------|------|----------|-----|----------|-----|-----|----------|-----|--|
| | | | | | | - | | | | | | | | | | 20010620 | | |
| | 2004 | | | | A2 | | | | | WO Z | 004- | | 20040628 | | | | | |
| WO | WO 2004112761 | | | | A3 | | 2005 | 0303 | | | | | | | | | | |
| | W: | ΑE, | AG, | AL, | AM, | ΑT, | AU, | ΑZ, | BA, | BB, | BG, | BR, | BW, | BY, | ΒZ, | CA, | CH, | |
| | | CN, | CO, | CR, | CU, | CZ, | DE, | DK, | DM, | DZ, | EC, | EE, | EG, | ES, | FI, | GB, | GD, | |
| | | GE, | GH, | GM, | HR, | HU, | ID, | IL, | IN, | IS, | JP, | KE, | KG, | KP, | KR, | ΚZ, | LC, | |
| | | LK, | LR, | LS, | LT, | LU, | LV, | MA, | MD, | MG, | MK, | MN, | MW, | MX, | MZ, | NA, | NI, | |
| | | NO, | NZ, | OM, | PG, | PH, | PL, | PT, | RO, | RU, | SC, | SD, | SE, | SG, | SK, | SL, | SY, | |
| | | TJ, | TM, | TN, | TR, | TT, | TZ, | UA, | UG, | US, | UZ, | VC, | VN, | YU, | ZA, | ZM, | zw | |
| | RW: | BW, | GH, | GM, | KE, | LS, | MW, | MZ, | NA, | SD, | SL, | SZ, | TZ, | UG, | ZM, | ZW, | AM, | |
| | | AZ, | BY, | KG, | ΚZ, | MD, | RU, | ΤJ, | TM, | ΑT, | BE, | BG, | CH, | CY, | CZ, | DE, | DK, | |
| | | EE, | ES, | FΙ, | FR, | GB, | GR, | HU, | IE, | IT, | LU, | MC, | NL, | PL, | PT, | RO, | SE, | |
| | | SI, | SK, | TR, | BF, | ΒJ, | CF, | CG, | CI, | CM, | GA, | GN, | GQ, | GW, | ML, | MR, | NE, | |
| | | SN, | TD, | TG | | | | | | | | | | | | | | |
| AU 2004248923 | | | | A1 | | 2004 | 1229 | | AU 2 | 004- | 20040628 | | | | | | | |

```
CA 2529531
EP 1641460
                        A1 20041229 CA 2004-2529531 20040628
A2 20060405 EP 2004-763030 20040628
        R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
             IE, SI, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK
                        A 20061004 CN 2004-80017791
     CN 1842337
                                                                  20040628
     MX 2005PA14232
                        A
                              20060224 MX 2005-PA14232
                                                                  20051221
                        A 20070223 IN 2006-KN36
A1 20070503 US 2006-562200
     IN 2006KN00036
                                                                  20060103
     US 2007099866
                                                                  20061108
PRIORITY APPLN. INFO.:
                                            CH 2003-1123
                                                              A 20030626
                                           WO 2004-EP6944
                                                              W 20040628
```

The invention relates to 5,10-methylene-(6R)-,-(6S)-or (6R,S)-tetrahydrofolate (MTHF) pharmaceutical compds. whose stability is due to the adjustment thereof to a basic pH value and to a simultaneous citrate use. Said stabilization is self-producible in the absence of a reducing agent. Said invention is particularly suitable for preparing lyophilization solution or lyophilizates or dry powders and dry mixts. since the stable MTHF solns. can be filled at the high concentration thereof into corresponding recipients like, for example vials, ampoules etc. Said lyophilizates are surpassingly storable and stable. They are easily reconstituted by adding water or aqueous solns., thereby providing diluted injection solns, ready for use with an excellent stability. Said invention also makes it possible to produce highly concentrated calcium or acid MTHF salts, even difficult-to-dissolve, in the form of isotonic physiol. compatible solns. Thus 9900 mL water was saturated with argon gas and 421.9 g citric acid were dissolved. 232.0 G 5,10-methylene-(6R,6S)tetrahydrofolic acid calcium salt was added; pH was set to 8.0 with sodium hydroxide, during which the salt was completely dissolved; the pH was adjusted to 8.5,. The solution was filled into glass vials and freeze-dried; vials that contained 5.10-methylene-(6R.6S)-tetrahydrofolic acid were obtained.

4 ANSWER 4 OF 6 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2002:778164 CAPLUS

DOCUMENT NUMBER: 137:275029

TITLE: Crystal structure of ketopantoate

hydroxymethyltransferase and applications to drug

INVENTOR(S): design
INVENTOR(S): Blundell, Tom Leon; Abell, Christopher; Inoue,

Tsuyoshi; Von Delft, Frank

PATENT ASSIGNEE(S): Astex Technology Limited, UK SOURCE: PCT Int. Appl. 367 pp.

COURCE: PCT Int. Appl., 367 pp. CODEN: PIXXD2

DOCUMENT TYPE: Patent
LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1 PATENT INFORMATION:

| PATENT 1 | .00 | | | KIND DATE | | | | APPL | ICAT | | DATE | | | | | |
|----------|---------------|--|--|-----------|--|----------------------------|------|------|------|------|------|----------|-----|-----|-----|-----|
| WO 2002 | | | | | | A2 20021010 A3 20030424 | | | | 002- | | 20020402 | | | | |
| ₩: | | | | | | AU, DK, | | | | | | | | | | |
| | | | | | | IN, MD, | | | | | | | | | | |
| | | | | | | SE, YU, | | | | SL, | TJ, | TM, | TN, | TR, | TT, | TZ, |
| RW: | | | | | | MZ, TM, | | | | | | | | | | |
| | | | | | | NL, NE, | | | | BF, | BJ, | CF, | CG, | CI, | CM, | GA, |
| US 20040 | US 2004053385 | | | | | 2004 | 0318 | | US 2 | 001- | | 20010330 | | | | |

```
AU 2002251191 A1 20021015 AU 2002-251191 20020402 EP 1373482 A2 20040102 EP 2002-720121 20020402
          R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
               IE, SI, LT, LV, FI, RO, MK, CY, AL, TR
                                                    US 2001-820745 A 20010330
WO 2002-GB1405 W 20020402
PRIORITY APPLN. INFO.:
```

The invention provides a crystal of ketopantoate hydroxymethyltransferase (KPHMT) from E. coli. The crystal may be characterized by the three dimensional atomic coordinates of the crystal are disclosed. The invention also provides the use of such crystals and the three dimensional atomic coordinates in computer modeling applications, for example in drug design and drug discovery.

L4 ANSWER 5 OF 6 CAPLUS COPYRIGHT 2008 ACS on STN ACCESSION NUMBER: 2001:885728 CAPLUS

DOCUMENT NUMBER: 136:11204

TITLE: Composition for the treatment and/or the prevention of osteoporosis and/or inflammatory joint diseases INVENTOR(S): Buchholz, Herwig; Meduski, Jerzy; Frohne, Marcus

PATENT ASSIGNEE(S): Merck Patent Gmbh, Germany

SOURCE: PCT Int. Appl., 23 pp. CODEN: PIXXD2

DOCUMENT TYPE:

Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

| | TENT : | | | | | | | | | | | | DATE | | | | | | |
|----------|--|-------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|-------------------|-----------------------------------|-------------------|-------------------|-------------------|-------------------|-------------------|----------------------|--------------|-----|--|--|
| | 2001 2001 | | | | | | | | | WO 2 | 001- | EP57 | 53 | | 20010519 | | | | |
| | W: AE, AG, AL, CR, CU, CZ, HU, ID, IL, LU, LV, MA, SD, SE, SG, YU, ZA, ZW | | AM, DE, IN, MD, | AT, DK, IS, MG, | AU, DM, JP, MK, | AZ, DZ, KE, MN, | BA, EE, KG, MW, | ES, KP, MX, | FI, KR, MZ, | GB, KZ, NO, | GD, LC, NZ, | GE, LK, PL, | GH, LR, PT, | GM, LS, RO, | HR, LT, RU, | | | | |
| | RW: | GH, KZ, IE, | GM, MD, IT, | KE, RU, LU, | TJ, MC, | TM, | MZ, AT, PT, TD, | BE, SE, | CH, | CY, | DE, | DK, | ES, | FI, | FR, | GB, | GR, | | |
| EP | | 885 667 | · | Ċ | | | | | CA 2001-2410885 EP 2001-953150 | | | | | | | | | | |
| | | AT, | BE, | CH, | DE, | DK, | ES, | FR, | GB, | | | LI, | LU, | NL, | SE, | MC, | PT, | | |
| BR | JP 2003534373 BR 2001011210 | | | | | | 2003 | 1118 1216 | | JP 2 BR 2 | 001- | 1121 | | | | | | | |
| AT ES | 3295 2266 | 87 220 | | | T T3 | | 2006 2007 | 0715 0301 | | AT 2 ES 2 | 001- | 9531 1953 | 50 150 | | 20010519 20010519 | | | | |
| US | US 2003139354 US 6812215 | | | | | | 2003 2004 | | | | | | | | | | | | |
| PRIORIT | PRIORITY APPLN. INFO.: | | | | | | | | | | 000- | | | | | 0000 0010 | | | |

Compns. and pharmaceutical compns. are described which comprise: a component A comprising one or more flavonol glycosides, a component B comprising one or more tetrahydrofolic acid compds., a component C comprising one or more calcium supplements, and a component D comprising one or more magnesium supplements. Methods of using such compns. and pharmaceutical compns. to treat and/or prevent osteoporosis and/or an inflammatory joint disease are also described. An oral formulation contained isoquercetin 500 mg, Ca 5-methyltetrahydrofolate 800 µg, Ca

citrate tetrahydrate 4000 mg, and Mg chloride hexahydrate 3000 mg.

L4 ANSWER 6 OF 6 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 1997:532205 CAPLUS

DOCUMENT NUMBER: 127:189892

TITLE: Food and vitamin preparations containing the natural

isomer of reduced folates

INVENTOR(S): Bailey, Steven W.; Ayling, June E.

PATENT ASSIGNEE(S): South Alabama Medical Science Foundation, USA; Bailey, Steven W.; Ayling, June E.

SOURCE: PCT Int. Appl., 31 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1 PATENT INFORMATION:

| PATE | NT NO. | | | KIND | | DATE | | | | APPLICATION NO. | | | | | | DATE | | | |
|--------------|---|----------|-----|----------|-----|--------------|--------------|-----|----------|-----------------|--------------|--------------|------------|-----|--------------|----------------------|------------|----|--|
| WO 9 | 727764 W: AU, | | | A1 | | 1997 | 0807 | | WO | 199 | 7-U | S18 | 70 | | 1 | 9970 | 131 | | |
| CA 2 | RW: AT, 243981 | BE, | CH, | DE, C | DK, | ES, | FI, 0807 | FR, | GE CA | , GE 199 | 7-2 | IE, 243 | IT, 981 | LU, | MC, | NL, 9970 | PT, 131 | SE | |
| CA 2 AU 9 | 243981 243981 722602 22050 77563 | | | A1 A | | 1997 | 0807 | | AU | 199 | 7-2: | 260: | 2 | | 1 | 9970 | 131 | | |
| EP 8 | 77563 | | | A1 B1 | | 1998 | 1118 | | ΕP | 199 | 7-9 | 057 | 91 | | 1 | 9970 | 131 | | |
| | R: AT, IE, | | | | | | | | | | | | | | | | | | |
| CN 1 CN 1 | 209729 | 0.0 | | A B | | 1999 | 1001 | | CN | 199 | 7-1 | 919. | 51 | | 1 | 9970 | 131 | | |
| JP 3 AT 2 | 209729 122456 0005052 602141 62799 425978 | 86 | | B2 T | | 2004 | 1215 0415 | | AT | 199 | 7-9. | 057 | 91 | | 1 | 9970 | 131 | | |
| | | | | | | | | | | | | | | | | | | | |
| PT 8 | IE, 77563 | FI | | T | | 2004 | 0831 | | PT | 1991 | 7-9 | 057 | 91 | | 1 | 9970 | 131 | | |
| US 5 | 997915 | | | A B1 | | 1999 | 1207 0703 | | US | 1998 | 3-1: 3-4: | 175 186 | 36 19 | | 1 | 9980 9991 | 731 | | |
| AU 7 US 2 | 11, 177563 1218662 1997915 1254904 167242 10010465 1451360 10021506 | 33 | | B2 A1 | | 2003 | 1106 1129 | | AU US | 2000 | 0-6 1-8 | 648 887 | 98 9 | | 2 | 0001 0010 | 012 625 | | |
| US 2 US 6 | 0021506 808725 0021769 | 53 | | A1 B2 | | 2002 | 1017 1026 | | US | 2002 | 2-1 | 742 | 72 | | 2 | 0020 | 618 | | |
| US 2 US 6 | 0021769 673381 | 12 | | A1 B2 | | 2002 2004 | 1128 0106 | | | | | | | | | 0020 | | | |
| US 2 US 7 | 673381 0042192 172778 0072071 | 62 36 | | B2 A1 | | 2004 | 1104 0206 | | | | | | | | | 0031 0070 | | | |
| PRIORITY | APPLN. | INFO | .: | | | 200 | 0300 | | US | 1996 | 5-1 7-2 | 089: 260: | 3P | | P 1 A3 1 | 9960 9970 | 131 | | |
| | | | | | | | | | EP WO | 199 | 7-9: 7-U: | 0579 S18 | 70 | | A3 1 W 1 | 9970 9970 9980 | 131 131 | | |
| | | | | | | | | | IIS | 1990 | 3-4 | 186 | 19 | | Δ1 1 | 9991 | 015 | | |
| | | | | | | | | | US | 2002 | 2-19 | 961 481 | 18 16 | | A1 2 A1 2 | 0010 0020 0031 | 716 230 | | |

includes a natural isomer of reduced folate, such as (65)-tetrahydrofolic acid, 5-methyl-(65)-tetrahydrofolic acid, 5-formyl-(65)-tetrahydrofolic acid, 5-formyl-(65)-tetrahydrofolic acid, 5-formyl-(65)-tetrahydrofolic acid, 5-formimino-(67)-tetrahydrofolic acid, 5-formimino-(68)-tetrahydrofolic acid, 5-formimino-(65)-tetrahydrofolic acid, and their polyglutamyl derivs. is disclosed. Such compns. include multivitamin prepns. (with or without minerals and other nutrients); breakfast foods such as prepared cereals, toaster pastries and breakfast bars; infant formulas; dietary supplements and complete diet and weight-loss formulas and bars; animal feed (for example pet foods) and animal feed supplements (such as for poultry feed). The amount of the natural isomer of a reduced folate in a composition for human consumption can range between about 5 % and about 200 % of the daily requirement for folic acid per serving or dose.

=> d his

(FILE 'HOME' ENTERED AT 14:02:51 ON 10 JAN 2008)

FILE 'REGISTRY' ENTERED AT 14:03:02 ON 10 JAN 2008 STRUCTURE UPLOADED

L2 101 S L1 FAM FUL

FILE 'CAPLUS' ENTERED AT 14:04:08 ON 10 JAN 2008

L3 662 S L2 L4 6 S L2 AND CITRATE

=> logoff

ALL L# QUERIES AND ANSWER SETS ARE DELETED AT LOGOFF

LOGOFF? (Y)/N/HOLD:y

 COST IN U.S. DOLLARS
 SINCE FILE
 TOTAL

 BNTRY
 SESSION

 FULL ESTIMATED COST
 26.81
 97.59

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS) SINCE FILE TOTAL ENTRY SESSION

CA SUBSCRIBER PRICE ENTRY SESSION
-5.60 -5.60

STN INTERNATIONAL LOGOFF AT 14:09:24 ON 10 JAN 2008